



STAGE PLOT & TECH RIDER

(Bass & Percussions will be atleast 5-feet backward from Guitar & Flute)







PERCUSSIONS (sit)



















AUDIENCE





MUSICIANS' REQUIREMENTS

	INIOSICIANS INEQUINEINENTS								
	Qty	Specs	Note						
Backline (DRUMKIT): you can rent as part of Drumkit, from any Music shop or Sound vendor									
Cymbals		1 Ride (20")	Zildjian K-series / ZBT-series						
		1 Crash (16")	or						
		1 Splash (10")	<u>Paiste</u> PST -series / 201 -series						
		1 pair Hi-hat (14") (<u>Thin</u> cymbals)	or						
			Meinl Byzance-series (Thin)						
			or						
O selection and a company		White New Falls Classes	Istanbul XIST-series / Agop-series / OM-series						
Cymbal Stands (w/ Boom)	4	with Nut, Felt, Sleeves	for Ride, Crash, Splash, Windchimes+Cowbell						
Floor Tom	1	16" (<mark>preferred</mark>) or 14"							
Backline (GUITAR):									
Guitar Amp (optional)	1	Marshall JCM-800 / Roland JC-120 / Vox AC-30	If Amp is already available onstage, then ok or else no problem						
Bass Amp	1	Ampeg / Hartke / SWR / Gallien Kruger							
DI box	2	BSS / Radial / Klark Technik or equivalent							
OTHERS:									
Mics & Stands		as per I/O sheet (page 3)							
In Ear Monitors	3	Sennheiser EW 300 G3							
Stage Monitors	4	RCF / JBL or equivalent							
Phono-to-Phono Cables	5		Guitar cables - new (<mark>preferred</mark>)						
Music Notation Stand	1								
Guitar Stands	2	w/ Neck Holder (<mark>preferred</mark>)							
Stools (OR Armless chairs)	3	NO Armrest	minimum 2' - max. 2.5' (height)						
Tables – small, low-height	1		minimum 2' (length) x 1' (breadth) x 2' (height) OR equivalent						
(to keep flutes, percussions etc.)									
Electric-Power Supply Boards	2		To power on 1 Guitar & 2 EFX Processors						
Sun-shades	4	during Soundcheck (if open-air venue)							

www.gharanaworld.com



MIXER INPUT LIST

			<u> </u>			
INPUT#	INSTRUMENTS	MIC	AUX Patch	INSERT	Mic Stand	NOTE
111/71118.4						
HYTHM 1	Tabla	Sennheiser E-914 / Shure SM 57	AUX 3		midsize	
2	Baya	Shure Beta 57	AUX 3		midsize	
3	Cajon (front)	Shure SM 57	AUX 3	Gate 1 / Comp 1	short	
4	Cajon (back)	Shure Beta 52A	AUX 3	Gate 2 / Comp 2	short	
5	Floor Tom	Sennheiser E-904 / Shure KSM-32	AUX 3	Gate 3	midsize	
6	Hi-Hat	Shure SM 81 / Shure SM 57	AUX 3		midsize	
7	Overhead	Sennheiser E-914 / Shure SM 81	AUX 3	-10dB	tall	
MELODY		1	1	T	T	
8	Guitar	DI	AUX 1			Guitar Cables (new
9	Bass Guitar	DI	AUX 2			Guitar Cables (new
10	Flute	Shure SM 58	AUX 4		tall	Reverb (as needed)
OCALS						
11	Vox (guitarist)	Shure SM 58	AUX 1		midsize	
12	Vox (percussionist) (w/ kanjira, shakers)	Shure SM 58	AUX 3		tall	Reverb (as needed)
lic stands - tall (3) · midsize (5) · short (2)						

Mic stands – tall (3); midsize (5); short (2)

(Sennheiser mics are preferred, if unavailable then Shure mics)

Please forward a copy of this list, to your Sound contractor



STAGE SOUND:

- Preferably a Digital Desk Yamaha / Digidesign / Soundcraft / Behringer / Midas / Digico / Allen & Heath
- FOH Mixer must be a minimum of 16-Channels / Direct Outs.
- Must be serviced and cleaned prior to show.
- The sound engineer needs to have <u>eye contact with all the musicians on stage</u>, so consider raising the entire mixing position if necessary, usually about 1-foot is sufficient.
- The Stage/FOH power source must be earthed.
- Sound & Light power sources/generators must be different.

OTHER TECHNICALS

<u>OTHER TECHNICALS</u>							
SOUND SYSTEM (Loudspeakers)	LIGHT						
L'Acoustics / D&B / JBL / RCF / Yamaha or equivalent	Soothing Lights.						
- System must consist of a 3-way or 4-way system with sufficient amplification and speaker	Stage needs to be well-lit.						
enclosures to cover the entire seating area (Venue's Maximum Capacity)							
	OPTIONAL:						
- System shall be of even coverage throughout the entire venue	Moving head spots / beams (no washes), Profiles,						
	PAR, LED Moving Lights, Quantum, Batten,						
- (if possible) Adequate Center-Fills & Side-Fills to be provided by vendor incase stage is	Strobe, Sharpy/ Pointee, Laser, Haze, Way						
more than 40-feet wide	Blinder, Smoke machine						
Customs should be flavor when some possible an elevated Customs if stocked about the							
- System should be flown whenever possible or elevated. System, if stacked, should be a							
maximum of 6-feet from front of main stage (both Left & Right). This includes the sound							
wings and is applicable any time the system is not flown.							
- System should be configured in Stereo							



STAGE SETUP / SOUNDCHECK:

- Incase of an outdoor show, we need the stage covered and also the sound console.
- 2 persons needed onstage for load-in, setup, load-out.
- First, all our Music Instruments to be set onstage (and also Mics, Music Stands, Stools etc.).
- Only after all the backline gear is positioned and operational onstage, we need minimum 1 hour (sound check), post which our instruments cannot be moved from the stage.
- 2 Water bottles (0.5 L) per Musician.
- 2 Fans, Sun-shades needed onstage (during Summer).
- Incase there is another artist performing as well, we'll perform first.
- We do not share our instruments with anybody. In case of another artist, separate sound setup, amps, drumkit must be provided for them.
- The organizer must provide ample security, for the safety of our band's equipment.

DRESSING ROOM RIDER:

- Secure greenroom backstage, minimum 5m x 5m (w/ Air Conditioning & Lock) OR a 2-door Vanity Van backstage for our exclusive use OR Book 1 good room in a 3-4 star hotel/guesthouse near the venue, that we can use as a dressing room and then drive to the stage.
- 5 chairs, Full length Mirror
- Juices, Snacks, Water bottles

(+91) 8146127653 (whatsapp) / gharanamusic@yahoo.com / facebook.com/GharanaFusion