

### **STAGE PLOT & TECH RIDER**

(Percussionist will be atleast 5-feet backward from Guitarist & Flutist)















-----



**AUDIENCE** 



## **MUSICIANS' REQUIREMENTS**

		IVIUSICIANS REQUIREIVIEN	<u>                                     </u>				
	Qty	Specs	Note				
Backline (PERCUSSIONS): you can rent as part of Drumkit, from any Music shop or Sound vendor							
Cymbals		1 Ride (20")	<u>Zildjian</u> <b>K</b> -series / <b>ZBT</b> -series				
		1 Crash (16")	or				
		1 Splash (10")	Paiste PST-series / 201-series				
		1 pair Hi-hat (14") ( <u>Thin</u> cymbals)	or				
			<u>Meinl</u> <b>Byzance</b> -series (Thin)				
			or				
			<u>Istanbul</u> XIST-series / Agop-series / OM-series				
Cymbal Stands (w/ Boom)	4	with Nut, Felt, Sleeves	for Ride, Crash, Splash, Windchimes+Cowbell				
Floor Tom	1	<b>16"</b> (preferred) or 14"					
OTHERS:  Mics & Stands		as per I/O sheet (page 3)					
Phono-to-Phono Cables	2		Guitar cables - new (preferred)				
Stage Monitors	3	RCF (preferred) / JBL / Yamaha or equivalent					
Guitar Stand	1	w/ Neck Holder (preferred))					
Stools (OR Armless chairs)	2	NO Armrest	minimum 2' - max. 2.5' (height)				
Tables – small, low-height	2		minimum <b>2'</b> (length) x <b>1'</b> (breadth) x <b>2'</b> (height)				
(to keep Flutes, Percussions etc.)			OR equivalent				
Electric-Power Supply Board	1		To power on 1 Guitar & 1 EFX Processor				
Sun-shades	3	during Soundcheck					
		(if open-air venue, during Summer)					

www.gharanaworld.com



# MIXER INPUT LIST

INPUT#	INSTRUMENTS	MICs	AUX Patch	INSERT	Mic Stands	NOTE	
RHYTHM							
1	Tabla	Shure <b>SM 57</b>	AUX 1		midsize		
2	Вауа	Shure <b>Beta 57</b>	AUX 1		midsize		
3	Cajon (front)	Shure SM 57	AUX 1	Gate 1 / Comp 1	short		
4	Cajon (back)	Shure <b>Beta 52A</b>	AUX 1	Gate 2 / Comp 2	short		
5	Floor Tom	Shure KSM-32 / Sennheiser E-604	AUX 1	Gate 3	midsize		
6	Hi-Hat	Shure SM 81	AUX 1		midsize		
7	Overhead	Shure SM 81	AUX 1		tall		
MELODY							
8	Guitar	DI	AUX 2			Guitar Cables (new)	
9	Flute	Shure <b>SM 58</b>	AUX 3		tall	Reverb (as needed)	
VOCALS							
10	Vox (guitarist)	Shure <b>SM 58</b>	AUX 2		midsize	Dovorb (	
11	Vox (percussionist) (w/ Khamak, Kanjira, Shakers)	Shure <b>SM 58</b>	AUX 1		tall	Reverb (as needed)	

Mic stands - tall (3); midsize (5); short (2)

MIC Summary	QTY	
Shure <b>SM 57</b>	2	
Shure <b>SM 58</b>	3	
Shure <b>Beta 57</b>	1	
Shure <b>Beta 52A</b>	1	
Shure KSM-32 / Sennheiser E-604	1	
Shure <b>SM 81</b>	2	

Please forward a copy of this list, to your Sound contractor



#### **STAGE SOUND:**

- Preferably a <u>Digital Desk</u> Yamaha / Digidesign / Soundcraft / Behringer / Midas / Digico / Allen & Heath
- FOH Mixer must be a minimum of 16-Channels / Direct Outs.
- Must be serviced and cleaned prior to show.
- The sound engineer needs to have <u>eye contact with all the musicians on stage</u>, so consider raising the entire mixing position if necessary, usually about 1-foot is sufficient.
- The Stage/FOH power source must be earthed.
- Sound & Light power sources/generators must be different.

#### **OTHER TECHNICALS**

(Sound & Light power sources must be different)

SOUND SYSTEM (Loudspeakers)	LIGHT
, , ,	
L'Acoustics / D&B / JBL / RCF / Yamaha or equivalent	Soothing Lights.
- System must consist of a 3-way or 4-way system with sufficient amplification and speaker	Stage needs to be well-lit.
enclosures to cover the entire seating area (Venue's Maximum Capacity)	Stage needs to be wen-ne.
enclosures to cover the entire seating area (venue's Muximum cupacity)	ORTIONAL
Contains shall be of even provinces there in the continuous	OPTIONAL:
- System shall be of even coverage throughout the entire venue	Moving head spots / beams (no washes), Profiles,
Adamsta anto fillata ha manidad ha and idaan a tara is mana than 20 feet aid.	PAR, LED Moving Lights, Quantum, Batten,
- Adequate center fills to be provided by vendor incase stage is more than 30-feet wide	Strobe, Sharpy/ Pointee, Laser, Haze, Way
Colon de liberte e la colon de	Blinder, Smoke machine
- System should be flown whenever possible or elevated. System, if stacked, should be a	
maximum of 6-feet from front of main stage (both Left & Right). This includes the sound	
wings and is applicable any time the system is not flown.	
- System should be configured in Stereo	

www.gharanaworld.com



### **STAGE SETUP / SOUNDCHECK:**

- 1 person needed onstage for load-in, setup, load-out.
- First, all our Music Instruments to be set onstage (and also Mics, Music Stands, Stools etc.).
- Only after all the backline gear is positioned and operational onstage, we need minimum 1 hour (sound check), post which our instruments cannot be moved from the stage
- 2 Water bottles (0.5 L) per Musician.
- **2 Fans, Sun-shades needed onstage** (during Summer Heat).
- We do not share our instruments with anybody. In case of another artist, separate sound setup, amps, drumkit must be provided for them.
- The organizer must provide <u>ample security</u>, for the safety of our band's equipment.

#### **DRESSING ROOM RIDER:**

- 4 chairs, a Full length Mirror
- Snacks (Sandwiches / Sausages / Burgers / Meat slices), Vegetables (fresh cucumbers, salads etc.), Fresh Fruits, Juice, Water bottles.
- Hot Meals after the concert (Lunch/Dinner/Pizzas etc.).
- If the organizer/fest/venue can't provide hot meals, then EUR 20 per person per day, should be provided.
- a Trash-bin, a Sink (with soap), a roll of Paper Towels/Napkins & Toilet nearby, is needed.
- The room should have the possibility to be locked and the keys of the room to be given to the Band Manager/Tour Manager. If the room can't be locked during our performance, then another secure location must be provided.

<u>CONTACT</u>: Ms. Maria: (+34) 672519473 (Whatsapp) / Mr. Susnata: (+91) 8146127653 (Whatsapp) gharanamusic@yahoo.com / facebook.com/GharanaFusion